
Lc Single-fiber Bidirectional Module



Overview

Lantronix's Simplex SFP Transceiver modules offer an efficient, single-fiber approach to fiber connectivity, enabling bidirectional data transmission over one strand where cabling resources are limited or infrastructure costs need to be minimized. SFP transceiver that supports 1G connections up to 3 km using single-mode fiber with a simplex LC UPC connector. Power Consumption CLASS 1 LASER PRODUCT, IEC/EN 60825-1:2014 Do not look into the ends of the fiber optic cable or SFP module while converters are. The industry-standard Cisco Small Form-Factor Pluggable (SFP) Gigabit Interface Converter (Figure 1) links your switches and routers to the network. The hot-swappable input/output device plugs into a Gigabit Ethernet port or slot. The lineup spans a wide range of speeds and fiber. TP-LINK´s TL-SM321B-2 and TL-SM321A-2 is designed to work in a pair to create an on-site gigabit fiber communication up to 2km (2,000 meters). However, choosing the right SFP LC Single Mode module is. 10GBASE-BIDI Bidirectional SFP+ to single LC Optical transceiver module, Single Mode, Wave length: Up: TX1270nm/RX1330nm; Down: TX1330nm/RX1270nm, DDM, up to 20km over single LC. Wide Compatibility - Compatible for Cisco SFP-10G-BX20D-I/SFP-10G-BX20U-I, Ubiquiti UniFi UACC-OM-SM-10G-S-2, Mikrotik.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Article Content

1G Bidirectional Single-Mode Optical Module

SFP transceiver that supports 1G connections up to 3 km using single-mode fiber with a simplex LC UPC connector.

Cisco SFP Modules for Gigabit Ethernet Applications

2-Channel 1000BASE-BX10-D for single-fiber bidirectional applications The 2-channel 1000BASE-BX-D SFP module, also known as

Lantronix Simplex SFP Modules | Single-Fiber BiDi, 100Mbps to 10G

Lantronix''s Simplex SFP Transceiver modules offer an efficient, single-fiber approach to fiber connectivity, enabling bidirectional data transmission over one strand where cabling resources are

1000Base-BX WDM Bi-Directional SFP Module

As a WDM Bi-Directional optical transceiver, TL-SM321B-2 uses an integrated LC Bi-Directional optical interface connector and the data link is up to 2 km in 9/125

SFP LC Single Mode: How to Choose the Right Module

These optical modules combine compact SFP form factors with LC fiber interfaces and single mode transmission technology, making them suitable for applications ranging from Gigabit Ethernet to high

10Gtek a Pair of 10G SFP+ Bidi Transceiver, LC Single

10GBASE-BIDI Bidirectional SFP+ to single LC Optical transceiver module, Single Mode, Wave length: Up: TX1270nm/RX1330nm; Down:

SFP BiDi 1000BASE-BX 1.25Gbps Tx1550nm/ Rx1310nm LC SMF

The 1000Base-BX SFP optical module is designed for data transmission using a single single-mode (SM) fiber. It transmits data at speeds of up to 1.25 Gbps, over distances of up to 40 km.

SFP Dual Wavelength Single Mode LC Module (20km)

TRENDnet''s SFP Dual Wavelength Single Mode LC Modules are compatible with standard SFP slots found on network switches and fiber converters. Each single mode SFP transceiver is equipped with

SFP+ Bi-Directional LC Optical Transceivers

© 2026 EXF OPTICAL NETWORKS - All rights reserved

The bi-directional (BIDI) transceiver product is unique in that only one single fiber (single mode or multimode) is required to transmit and receive signals simultaneously.

Optcore 1.25G BiDi SFP 3km SMF LC DDM Cisco Compatible Module

Description The Optcore 1.25G BiDi SFP transceiver delivers a compact and efficient optical networking solution designed to simplify fiber infrastructure while maintaining dependable

10GBASE SFP+ Bidirectional Transceiver Module 1270/1330nm Wavelength LC ...

10GBASE SFP+ Bidirectional Transceiver Module 1270/1330nm Wavelength LC/SC SMF Single Fiber Optical Module

SFP Transceiver Optical Fiber Single-Mode LC 1000Base-BX Bidirectional ...

One 1000Base-BX single-mode LC fiber port Fiber distance support: up to 120 km Wavelength Division Multiplexing (WDM) technology uses a single fiber link to transmit data over separate wavelengths

Cisco 10GBASE SFP+ Modules Data Sheet

The Cisco 10GBASE SFP+ modules give you a wide variety of 10 Gigabit Ethernet connectivity options for data center, enterprise wiring closet,

OPT-SFP-BIDI-1A specification sheet

Specifications for OPT-SFP-BIDI-1A Optcore 1.25G BiDi SFP 80km SM LC MikroTik Optcore 1.25G BiDi SFP 80km SM LC MikroTik, DDM (1490/1550nm), 1.25 Gbps BiDi SFP Optical Transceiver

Optcore 1.25G BiDi SFP 3km SMF LC

Overview: Optcore 1.25G BiDi SFP Transceiver for 3km Single-Mode Fiber Networks Optcore 1.25G BiDi SFP Transceiver is designed for efficient and reliable bidirectional data transmission over a

Ubiquiti 1G Bidirectional Single-Mode Optical Module

SFP28 transceiver that supports 25G connections up to 10 km using single-mode fiber with a duplex LC UPC connector. WARNING CLASS 1 LASER PRODUCT, IEC/EN 60825-1:2014 Do not look into the

Optical Transcevier

1G SFP module Duplex fiber transmission, Built-in digital diagnostic monitoring BIDI SFP Module Bidirectional single fiber transmission, 100% compatible 1000M

Huawei OSN010N24 100G QSFP28 LC 10km Optical Transceiver Module

© 2026 EXF OPTICAL NETWORKS - All rights reserved

The Huawei OSN010N24 100G QSFP28 LC 10km module delivers stable 100Gbps performance over single-mode fiber, supporting telecom operators, data centers, and enterprise

Contact Us

Continue your research online:

Website: https://explosivefunctions.co.za
Technical inquiry: https://explosivefunctions.co.za/contact.html
EU project coordination: Parque das Nações, Lisbon, Portugal

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved