Optical module speed oc03



Overview

This line of SFP optics supports the following three data rates at various reaches: OC-3/STM-1 (155 Mbps), OC-12/STM-4 (622 Mbps), and OC-48/STM-16 (2,488 Gbps). The Cisco industry-standard Small Form-Factor Pluggable Interface Converter (SFP) for Packet-Over-SONET/SDH (POS), optical networking, and ATM applications (Figure 1) are hot-swappable optical interfaces that plug into a variety of ports on Cisco router interfaces. These SFP optics support OC-3. Our SFP-OC3-MM is 100% compatible with the original Cisco SFP-OC3-MM. All of our Cisco compatible transceivers are tested in-house prior to shipping to insure they are in perfect. Thus, the speed of optical-carrier-classified lines labeled as OC-n is n × 51. Optical Carrier classifications are based on the abbreviation OC followed by a number specifying a multiple of 51. For example, an OC-3 transmission medium has 3 times the. The L-com FXC-SFPOC03-55-80 is an SFP form-factor transceiver, supporting OC-3 (155Mbps) data rates.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Article Content

Cisco SFP-OC3-MM Datasheet

This line of SFP optics supports the following three data rates at various reaches: OC-3/STM-1 (155 Mbps), OC-12/STM-4 (622 Mbps), and OC-48/STM-16 (2,488 Gbps).

Cisco SONET/SDH SFP Modules

This line of SFP optics supports the following three data rates at various reaches: OC-3/STM-1 (155 Mbps), OC-12/STM-4 (622 Mbps), and OC

SFP-OC3-MM

We have a large quantity of SFP-OC3-MM transceivers in stock and can ship the SFP-OC3-MM to you within 24 hours. All of our Cisco compatible transceivers

Optical Carrier transmission rates

OC-3 is a network line with transmission data rate of up to 155.52 Mbit/s (payload: 148.608 Mbit/s; overhead: 6.912 Mbit/s, including path overhead) using fiber optics. Depending on the system OC-3

Fiber Optic Transceiver SFP OC-3 (155Mbps), 80 km reach, 1550nm ...

VeeR Fiber Optic Transceiver SFP OC-3 (155Mbps), 80 km reach, 1550nm from L-com has same day shipment for domestic and International orders.

OC-3: High-Speed Optical Carrier Technology

OC-3 operates at a line rate of 155.52 Mbps, which translates to approximately 155 million bits per second. This rate is achieved through the use of advanced fiber optic technology and precise timing

Understanding the Speed of an OC-3 Connection

In summary, an OC-3 connection is a high-speed networking technology that operates at a transmission rate of 155.52 megabits per second. It

OC 3 optical carrier level 3

In conclusion, OC-3 is a transmission rate in the SONET hierarchy that operates at 155.52 Mbps. It combines three STS-1 signals to provide

Fiber Optic Transceiver SFP OC-3 (155Mbps), 80 km reach, 1550nm ...

The Show Me Cables FOX-SFP-OC03-55-80 SFP transceiver is one of thousands of fiber optic connectivity products available from Show Me Cables in-stock and ready to ship.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Market Insights: 800G & 1.6T Silicon Photonics Optical

Traditional modules require additional lenses and mirrors to combine the eight laser beams into one before entering the fiber. These optical

OC-3: High-Speed Optical Carrier Technology

OC-3, or Optical Carrier level 3, is a standardized fiber optic network transmission speed within the Synchronous Optical Network (SONET) and Synchronous Digital Hierarchy (SDH) frameworks. It

Cisco SONET/SDH SFP Modules

The Cisco industry-standard Small Form-Factor Pluggable Interface Converter (SFP) for Packet-Over-SONET/SDH (POS), optical networking, and

Speed Sensor Module FC-03

The FC-03 optical speed sensor wheel encoder module with the comparator LM393 is used for sensing the speed of rotation of the wheels of a robot.

OC 3 optical carrier level 3

Optical Carrier level 3 (OC-3) is a telecommunications term used to describe a specific transmission rate in optical fiber networks. It is part of the

Cisco SFP Optics For Packet-Over-Sonet/SDH and ATM Applications

Cisco® SFP optics for POS and ATM applications plug into a variety of SFP-based POS, TDM and ATM interfaces on Cisco router products. This line of SFP optics supports the following three data rates at

Optical Carrier

An Optical Carrier (OC) is a communication system that utilizes fiber optic cables and the Synchronous Optical Network (SONET) protocol to transmit data at varying speeds, ranging from 51.84 Mbps to

What is an Optical Module?

Explore the world of optical modules, essential components in optical fiber communication. Learn about the different types of optical modules, their

Optical Carrier Definition

Optical Carrier High-speed fiber optic connections are measured in Optical Carrier or "OC" transmission rates. These rates include several standardized bandwidth amounts supported by

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Contact Us

Continue your research online:

Website: https://explosivefunctions.co.za
Technical inquiry: https://explosivefunctions.co.za/contact.html
EU project coordination: Parque das Nações, Lisbon, Portugal

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved