Pam4psm4 optical module



Overview

Supporting 2km over single-mode fiber with 4x1310nm parallel optics using PAM4 modulation, this module delivers 4 dB link budget at 425 Gbps aggregate throughput. MPO/APC connector with host FEC for enhanced reach applications. PAM4 is a modulation method for electrical/optical signals (solving the problem of how signals are encoded). Their core. The Marvell® PAM4 optical DSP portfolio, including Spica™ and Nova™ DSPs, addresses the critical the need for high-bandwidth optical interconnects to power AI infrastructure. Marvell leads the pluggable module ecosystem with low-power, high-performance silicon for AI, cloud, enterprise and 5G. The two cascaded phase modulator in each branch modulates the NRZ electrical signal to a four phase fixed power optical signal; when combined by the coupler, the output signal is with four different phases and four different amplitudes. The optical output signal is duplicated again and detects by. In this blog we explore four-level pulse amplitude modulation (PAM4) with direct-detect and its role in 400G, and our next blog will introduce you to the exciting world of coherent optical transmission. What is PAM4?

To enable Ethernet speeds of 400G and beyond, PAM4 multilevel signaling is. The Broadcom® BCM87840 is the industry's highest-performance and lowest-power single-chip 400GbE PAM-4 PHY transceiver capable of driving four lanes of 106-Gb/s PAM-4 at 53 Gbaud, while supporting DR4, FR4, LR4, and QSFP112 optical links. The BCM87840 leverages Broadcom's market-leading 7-nm PAM-4. Compares costs for all critical components constituting a Silicon Photonics Chipset and module. Result: PSM4 and PAM solutions are approximately 1/5th the cost of LR4.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Article Content

The differences between PSM4, PAM4, CWDM4, and LWDM4

PAM4, PSM4, CWDM4, LWDM4 are the most core specialized terms in the optical communication industry. The first step we need to take is to categorize them: PAM4 is a modulation

PAM4 Optical DSPs | Enabling high-bandwidth optical

The Marvell® PAM4 optical DSP portfolio addresses the critical the need for high-bandwidth optical interconnects to power AI infrastructure. Marvell leads the

Optical PAM4 transceiver

PAM4 is an optical modulation technique that allows for higher data rates and increased spectral efficiency compared to NRZ. In PAM4, each symbol represents multiple bits of information

BCM87840 7-nm CMOS 400G (4:4) PAM-4 PHY Product Brief

The Broadcom® BCM87840 is the industry''s highest-performance and lowest-power single-chip 400GbE PAM-4 PHY transceiver capable of driving four lanes of 106-Gb/s PAM-4 at 53 Gbaud, while

PSM4, PAM, and LR4

PSM4 and PAM offer significantly lower BOM costs than LR4. PSM4 and PAM are much less sensitive to assembly yields and supply chain variability than LR4 solutions.

UniFi 100G PSM4 Single-Mode Optical Module

QSFP28 transceiver that supports 100G connections up to 2 km using single-mode fiber with an MPO-12 APC connector.

PAM4 DSPs

MaxLinear''s highly integrated PAM4 DSPs offer superior link-margin performance and low power to enable 100G, 400G, 800G, and 1.6T optical interconnects inside the data center.

400GBASE-DR4+ QSFP-DD 2km | PSM4 PAM4

Our EDGEOPTIC 400G-QSFP-DD-2 is a multi-vendor compatible 400GBASE-DR4+ QSFP-DD optical transceiver module designed for extended-reach 400 Gigabit

PAM4 Modulation | How is Transforming Optical

The Precision OT team carries a complete line of 400G-capable optical transceivers to meet the growing demand for high quality next-gen optics.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

400G optical transceiver based on PAM4 modulation

400G SR4.2: “SR” refers to using multi-mode optical fiber to transmit 100m distance, “4” means there are 4 optical channels, while “2” means each

The Evolution of Optical Modules: 400G → 800G → 1.6T – A Strategic ...

Discover the evolution from 400G to 800G and 1.6T optical modules. Learn key technologies, CPO vs pluggable, and upgrade strategies for future-ready data centers.

About QSFP28 PSM4 Optics: Do You Know These?

Although there have been 200G/400G optical transceiver products appearing in the optical communication market, and it does not mean that the

106.25-Gbps PAM-4 bidirectional optical sub-assembly

We successfully demonstrate a 106.25-Gbps PAM-4 bidirectional optical sub-assembly for optical access networks, including a driver amplifier and

The Ultimate Guide to OSFP 400G DR4 Optical Modules

This article will introduce what is 400G OSFP DR4 optical module, this module uses PAM4 technology, so why PAM4 technology is crucial for 400G Ethernet, you will know more by

Marvell Announces Industry''s First 5nm Transmit-Only

Marvell Announces Industry''s First 5nm Transmit-Only 800G PAM4 Optical DSP for AI and Cloud Interconnects Spica Gen2-T adds to the Marvell

QSFP28-100G-PSM4 Optical Transceiver Module

The QSFP28 100G PSM4 Optical Transceiver is a Four-Channel, Pluggable, Parallel, Fiber Optic Modules for 100 Gigabit Ethernet Applications. This transceiver is a high-performance module for

AtlasOne Product Brief

The AtlasOne optical DSP utilizes high volume, mass production CMOS and is mechanically implemented in a small form factor BGA package. To deliver the data infrastructure technology that

Fiber-Optic-Loop-Back-Modules-Samm-Teknoloji

Optical Fiber Loop Back Modules Loopback Modules are designed to provide a media of return patch for a fiber optic signal. Using fiber optic loopback modules for data transmission, the signal emitted by

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Contact Us

Continue your research online:

Website: https://explosivefunctions.co.za
Technical inquiry: https://explosivefunctions.co.za/contact.html
EU project coordination: Parque das Nações, Lisbon, Portugal

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved