Spatial light modulator in vortex light



Overview

Here we provide an overview of the key working principles of LC-SLMs and review the significant progress made to date in their deployment for various applications, covering topics as diverse as beam shaping and steering, holography, optical trapping and tweezers, measurement . Here we provide an overview of the key working principles of LC-SLMs and review the significant progress made to date in their deployment for various applications, covering topics as diverse as beam shaping and steering, holography, optical trapping and tweezers, measurement . Spatial light modulator (SLM) is a general term describing devices that are used to modulate amplitude, phase, or polarization of light waves in space and time. HOLOEYE´s Spatial Light Modulator systems are based on translucent (LCD) or reflective (LCOS) liquid crystal microdisplays. The use of LC. We introduce the concept of the perfect optical vortex whose dark hollow radius does not depend on the topological charge. It is shown analytically and experimentally that such a vortex can be approximately generated in the Fourier transforming optical system with a computer-controlled. In this paper, we present a simple method for generating composite vortex patterns with high symmetry. Our method is simple, flexible and gives perfectly aligned beams, insensitive to mechanical vibrations. This method is based on the ability to split SLM cells between phase patterns that are to be. Spatial light modulators, as dynamic flat-panel optical devices, have witnessed rapid development over the past two decades, concomitant with the advancements in micro- and opto-electronic integration technology. In particular, liquid-crystal spatial light modulator (LC-SLM) technologies have been. For the demultiplexing of the communication channels, a multichannel diffractive optical element (DOE) is proposed, being matched with the used vortex beams. The considered approach may be realized without digital processing of the output images, but only based on the numbers of informative. We present a unique method for experimentally generating multiple vortices by way of a devil's vortex lens combined with a Fresnel lens using a spatial light modulator.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Article Content

Generation of the “perfect” optical vortex using a

It is shown analytically and experimentally that such a vortex can be approximately generated in the Fourier transforming optical system with a computer-controlled liquid-crystal spatial light modulator.

Generation of composite vortex beams by independent Spatial Light ...

Our method is simple, flexible and gives perfectly aligned beams, insensitive to mechanical vibrations. This method is based on the ability to split SLM cells between phase patterns that are to be

Spatiotemporal optical vortices with controllable radial

In this work, we report on experimental synthesis of spatiotemporal Laguerre-Gaussian (STLG) wavepackets with well-defined radial and azimuthal

Probing the limits of vortex mode generation and

Here, we explore the limits of what fields these devices are capable of generating and detecting in the context of so-called vortex beams carrying

Generation of composite vortex beams by independent Spatial Light ...

We propose the method to produce a controlled superposition of such beams. Phase patterns are divided between SLM cells in a random (or deterministic) way. Full control of the mixed

A review of liquid crystal spatial light modulators: devices and ...

In particular, liquid-crystal spatial light modulator (LC-SLM) technologies have been regarded as versatile tools for generating arbitrary optical fields and tailoring all degrees of freedom beyond just

Spatial-Light-Modulator-Based Multichannel Data

The system is implemented based on two spatial light modulators (SLMs), one of which forms a multiplexed signal on the transmitting side, and the

Vortex Beam Generation Method based on Spatial Light Modulator

Aiming at the problem that the vortex beam is difficult to obtain under laboratory conditions, a vortex beam generation method based on spatial light modulator (SLM) is proposed. The collimated laser

Experimental realization of the devil''s vortex Fresnel lens with a ...

© 2026 EXF OPTICAL NETWORKS - All rights reserved

We present a unique method for experimentally generating multiple vortices by way of a devil''s vortex lens combined with a Fresnel lens using a spatial light modulator.

Holoeye ERIS Pure-Phase Spatial Light Modulator

Overview The Holoeye ERIS Pure-Phase Spatial Light Modulator is a high-fidelity, reflective liquid-crystal-on-silicon (LCOS) device engineered for precise, dynamic wavefront manipulation in coherent

Orbital angular momentum-based quantum communication in optical

Quantum communication typically relies on binary encoding, such as polarization, to secure information exchange. However, light possesses a spatial degree of freedom known as orbital

A review of liquid crystal spatial light modulators: devices and ...

Spatial light modulators, as dynamic flat-panel optical devices, have witnessed rapid development over the past two decades, concomitant with the advancements in micro- and opto-electronic

Passive Cross-Basis Mode Transitions Along a Single Freely

This mapping converts the radial aperture of a single static, phase-only spatial light modulator into a programmable longitudinal-mode register. By partitioning the modulator into

Superresolution imaging via superoscillation focusing of a radially ...

Implemented with a spatial light modulator, the optical eigenmode approach has helped realize subwavelength field spots at the focal plane of an optical microscope .

Metasurface-Empowered Five-Dimensional Imaging with Structured Light

Spatial light modulators are essential optical elements in applications that require the ability to regulate the amplitude, phase and polarization of light, such as digital holography, optical ...

Perspective on the application of longitudinally structured beams for ...

Experimentally, BG beams are typically produced by sending Laguerre–Gaussian beams through an axicon or by shaping the input field with a spatial light modulator (SLM) 29, 30.

OAM Light Demultiplexing from an Intensity Profile using Orthogonality ...

Consequently, mux-demux processes are generally performed in the spatial domain using additional elements such as diffraction gratings [29–38], meta-surfaces [39–41], refractive modulators

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Generation of composite vortex beams by independent Spatial Light ...

Their wide range of applications makes them attractive and easily available due to the growing interest in the Spatial Light Modulators (SLM). In this paper, we present a simple method for generating

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://explosivefunctions.co.za
Technical inquiry: https://explosivefunctions.co.za/contact.html
EU project coordination: Parque das Nações, Lisbon, Portugal

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved