# Stmorpho interface



## Overview

Page 27 ST morpho interface and pinout The ST morpho connectors (CN3 and CN4) are male pin headers accessible on both sides of the board. An oscilloscope, logical analyzer, or voltmeter can also. They can be used to connect shields. Properties not inherited from the base binding file. This property is a list of strings that essentially define what type of hardware or other resource this devicetree node represents. The recommended. Vendor: Generic or vendor-independent GPIO pins exposed on ST Morpho connector. See Important properties for. In NUCLEO-F030R8 what is the pitch and overall dimensions for CN7 & CN10 ST Morpho Connector ?

Also which mating connector is used for these two connectors 2024-07-09 12:15 AM Hello @Meghla and welcome to the ST Community :smiling_face_with_smiling_eyes:. You can find all details about the CN10 and. Page 1 Low Energy SIG specification v5. ® The ARDUINO Uno V3 connectivity support and the ST morpho headers allow the easy expansion of the functionality of the STM32 Nucleo open development platform with a wide choice of specialized shields.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

## Article Content

st-morpho-header

Deprecated properties not inherited from the base binding file. Properties inherited from the base binding file, which defines common properties that may be set on

st-morpho-header — Zephyr Project Documentation

Description GPIO pins exposed on ST Morpho connector. The ST morpho connector consists in male pin headers (CN7 and CN10 in case of Nucleo-64, CN11 and CN12 in case of Nucleo-144)

st-morpho-header — Devicetree Bindings

GPIO pins exposed on ST Morpho connector. The ST morpho connector consists in male pin headers (CN7 and CN10 in case of Nucleo-64, CN11 and CN12 in case of Nucleo-144) accessible on both

ST morpho connector on NUCLEO-F030R8

You can find all details about the CN10 and CN7 on the Bill of material of the NUCLEO-F030R8 available on NUCLEO-F030R8 - STM32 Nucleo-64 development board with STM32F030R8

ST STM32WB07 MANUAL Pdf Download | ManualsLib

Page 27 ST morpho interface and pinout The ST morpho connectors (CN3 and CN4) are male pin headers accessible on both sides of the board. All signals and power pins of the MCU are available

Arduino and ST Morpho Connectivity: Exploring the Interplay

Connecting Arduino and ST Morpho boards can open up exciting possibilities, leveraging the strengths of both platforms. There are several ways to establish communication, each with its own advantages

STM32 Nucleo Expansion Boards

STMicroelectronics STM32 X-Nucleo Expansion Boards carry all the required components to evaluate ST devices to be used together with an STM32

STM32 Nucleo Morpho Expansion Breadboard

This is an expansion board for Any ST/STM32 nucleo-64 board. The only pins that are connected are the ground, which I verified are the same across the nucleo

Category:ST Morpho interface

*© 2026 EXF OPTICAL NETWORKS - All rights reserved*

Pages in category "ST Morpho interface" The following 15 pages are in this category, out of 15 total.

Arduino and ST Morpho Connectivity: Exploring the Interplay

Arduino and ST Morpho Connectivity: Exploring the Interplay The realms of embedded systems development have witnessed a remarkable evolution, with platforms like Arduino and ST Morpho

st-morpho-header — Devicetree Bindings

st-morpho-header Vendor: Generic or vendor-independent Description GPIO pins exposed on ST Morpho connector. The ST morpho connector consists in male pin headers (CN7 and CN10)

SPI display expansion boards for STM32 Nucleo-64

Features 2.2" SPI QVGA TFT LCD 64-Mbit SPI NOR flash memory Joystick for easy menu navigation Compatible with selected STM32 Nucleo-64 boards using the ST morpho interface

STM32 Nucleo-64 boards (MB1717)

Introduction The STM32 Nucleo-64 boards, based on the MB1717 reference board (NUCLEO-C031C6 and NUCLEO-C051C8 order codes) provide an affordable and flexible way for users to try out new

P-NUCLEO-WB55 (MB1355 and MB1293)

Introduction The P-NUCLEO-WB55 Nucleo pack, comprising a Nucleo-64 board and a USB dongle, provides an affordable and flexible way for users to try out new concepts and build prototypes using

X-NUCLEO-GFX01M2

The X-NUCLEO-GFX01M1 and X-NUCLEO-GFX01M2 expansion boards (X-NUCLEO-GFX01Mx) add graphic user interface (GUI) capability to STM32

ST NUCLEO-H563ZI USER MANUAL Pdf Download

ST morpho headers (male-pin header footprints CN11 and CN12): These provide full access to all STM32 I/Os and power pins, enabling connection to extension

STM32 Nucleo Development Boards

STMicroelectronics STM32 Nucleo Development Boards support users who want to get familiar with the features of the entire STM32 MCU family.

STM32 Nucleo-64 boards (MB1136)

*© 2026 EXF OPTICAL NETWORKS - All rights reserved*

The USART2 interface available on PA2 and PA3 of the STM32 microcontroller can be connected to ST-LINK MCU, ST morpho connector, or ARDUINO® connector. The choice can be changed by setting

## Contact Us

Continue your research online:

Website: https://explosivefunctions.co.za
Technical inquiry: https://explosivefunctions.co.za/contact.html
EU project coordination: Parque das Nações, Lisbon, Portugal

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved