Surface Light Module



Overview

LED surface modular lighting provides bright and sustainable illumination for offices, retail environments, and industrial settings. Designed for durability and energy savings, these fixtures deliver consistent lighting performance while reducing operational costs. Regiolux stands for high-quality lighting solutions We react to projects and individual requirements with well-balanced lighting solutions as well as the highest quality from our wide range of products. Whether you want to create a bold statement or opt for. Thorlabs' Exulus® Spatial Light Modulators (SLMs) employ Liquid Crystal on Silicon (LCoS) technology to produce high-resolution, high-speed reflective phase modulation with individually addressable pixels. This phase control is highly stable with minimal fluctuations and minimal crosstalk with. STL can be used as a single module or combined in long lines to obtain an uninterrupted linear lighting system. A spatial light modulator (SLM) is a device that can control the intensity, phase, or polarization of light in. That's why the Lightnet Surface Collection includes classic colours such as white, silver, black and copper as well as exclusive wood surfaces and the following three design collections: Sustainability Plus Collection: Sustainable powder coatings in selected colours that impress with their.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Article Content

Surface-mounted luminaires

Surface-mounted luminaires are exposed. To leave a powerful impression, design and function have to closely follow the architectural circumstances. We achieve

Surface mounted lights | Modular Lighting Instruments

Surface-mounted fixtures attach directly to walls or ceilings, easily hiding drill holes or imperfections. With models that include an integrated driver, there''s no need

Spatial Light Modulators

These high-power spatial light modulators have input ports compatible with HDMI* connectors and ship with two corresponding cables: one for connecting to an

STL V5 Surface Mounted | EAE Lighting

STL can be used as a single module or combined in long lines to obtain an uninterrupted linear lighting system. In addition to being able to be used on the

Spatial light modulator

The image on an optically addressed spatial light modulator, also known as a light valve, is created and changed by shining light encoded with an image on its front or back surface.

Surface-mounted LED luminaires for a striking room

Versatile and powerful, surface-mounted LED luminaires are suitable for both ceiling and wall mounting. Designs include surface luminaires in square or round

Marbul Surface

The elegant surface-mounted luminaires enable you to direct light with a simple twist of each lamp unit. Thanks to Marbul''s streamlined driver box, the 1, 2 or 3

Led Surface Modulars | Energy Efficient Modular Lighting | CEF

LED surface modular lighting provides bright and sustainable illumination for offices, retail environments, and industrial settings. Designed for durability and energy savings, these fixtures deliver consistent

uxcell LED Chip Bulb 300mA 9W 18 LEDs 5730 Surface

Apply thermal grease evenly on the bottom of the light source and the contact surface of the heatsink when installation. Note: This LED chip is powered by

LED RETROFIT SURFACE MOUNT MODULE

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Some things never go out of style – Upgrade traditional surface mount fixtures with SATCO|NUVO''s Retrofit Surface Mount Module. Enjoy the energy and maintenance savings while enhancing lighting

Surface Mounted Stock-Alike Lights for Self-Illumination

Surface Mounted Lights The stock light parts are designed to light the distant objects. However, the station itself needs some lighting to be usable when

Modul R 49 Surface – Nimbus

LED ceiling luminaire with surface-mounted housing made of plastic, brilliant white with, integrated converter for connection to (existing) 230 volt ceiling outlets or -

Surface Mounted Downlight, Nimbus Modul Q 100 ON, 24 V

Light with permanent magnets for adhesion to mounting ring. Direct installation: mounting ring for screw fixing to surfaces (drilling distance 79 mm) or to cavity box (drilling distance 60 mm).

Modul R 36 Surface – Nimbus

Modul R 36 Surface Ceiling luminaire with surface-mounted housing LED ceiling luminaire with plastic surface-mounted housing, brilliant white with integrated converter for connection to (existing) 230 volt

LCR2 2 in. Soft White Selectable CCT Integrated LED

Refresh your lighting with Halo LCR2 Series Soft White Selectable CCT Integrated LED Recessed Light with Surface Mount White Trim Retrofit Module.

SurfaceShield Replacement LED Module, Antibacterial

Broan VVLED - SurfaceShield Replacement LED Module, Antibacterial Violet Light- The Broan SurfaceShield™ replacement LED module prevents mold, bacteria,

DLD Surf 10 LED Surface Mounted Downlight

DLD Surf 10 fixed surface mounted downlight is mounted directly to the ceiling and combines 10 high power energy efficient LEDs with an anti-glare baffle design.

Surface Mounted Downlight, Nimbus Modul Q 100 ON-XD, 230 V

Select article (13) Surface Mounted Downlight, Nimbus Modul Q 100 ON-XD, 230 V With surface mounted housing, with integrated driver, 2700 K, white

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Contact Us

Continue your research online:

Website: https://explosivefunctions.co.za
Technical inquiry: https://explosivefunctions.co.za/contact.html
EU project coordination: Parque das Nações, Lisbon, Portugal

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved